




APPENDIX L TO PART 305—SAMPLE LABELS




PROTOTYPE LABEL 1




PROTOTYPE LABEL 2




PROTOTYPE LABEL 3





PROTOTYPE LABEL 4




SAMPLE LABEL 1




SAMPLE LABEL 2

U.S. Government	Federal law prohibits removal of this label before consumer purchase.
<h1 style="margin: 0;">ENERGYGUIDE</h1> <div style="position: relative; height: 100px;"> <div style="position: absolute; top: 0; left: 50%; transform: translate(-50%, -50%); font-size: 40px;">↓</div> </div>	
Dishwasher Capacity: Standard	XYZ Corporation Models G39, X88, Z33
<p>Estimated Yearly Operating Cost (when used with an electric water heater)</p> <div style="font-size: 48px; font-weight: bold; margin: 10px 0;">\$19</div>  <div style="display: flex; justify-content: space-between; width: 100%;"> \$20 \$50 </div> <p style="font-size: 0.8em;">Cost Range of Similar Models</p> <p style="font-size: 0.7em;">The estimated yearly operating cost of this model was not available at the time the range was published.</p>	
<div style="font-size: 36px; font-weight: bold;">175_{kWh}</div> <p>Estimated Yearly Electricity Use</p>	<div style="font-size: 36px; font-weight: bold;">\$13</div> <p>Estimated Yearly Operating Cost (when used with a natural gas water heater)</p>
<p>Your cost will depend on your utility rates and use.</p> <ul style="list-style-type: none"> Cost range based only on standard capacity models. Estimated operating cost based on four wash loads a week and a 2007 national average electricity cost of 10.65 cents per kWh and natural gas cost of \$1.218 per therm. For more information, visit www.ftc.gov/appliances. 	
	


SAMPLE LABEL 3




SAMPLE LABEL 4




SAMPLE LABEL 5




SAMPLE LABEL 6



SAMPLE LABEL 7



SAMPLE LABEL 8



SAMPLE LABEL 9

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output	1710 Lumens	To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.
Energy Used	100 Watts	
Life	750 Hours	

Incandescent (non-reflector) Lamp Illustration

Lamp Packaging Disclosures


Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel



Incandescent (non-reflector) Lamp Illustration

Lamp Packaging Disclosures


Specifications


- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," "hours," and "at beam spread" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output at beam spread	985 Lumens	To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.	
Energy Used	75 Watts		
Life	2,000 Hours		

*  means this bulb meets Federal minimum efficiency standards.

The explanatory statement next to the encircled "E" on the principal display panel above could be disclosed (clearly and conspicuously) on another panel, provided asterisks and the words "See [Back, Top, Side] panel for details" are used.

Incandescent Reflector Lamp Illustration

Lamp Packaging Disclosures



Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," "hours," and "at beam spread" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output at beam spread 985 Lumens	Energy Used 75 Watts	Life 2,000 Hours	<div style="text-align: center;">  </div>
To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.			*  means this bulb meets Federal minimum efficiency standards.

The explanatory statement next to the encircled "E" on the principal display panel above could be disclosed (clearly and conspicuously) on another panel, provided asterisks and the words "See [Back, Top, Side] panel for details" are used.

Incandescent Reflector Lamp Illustration

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

Light Output	1200 Lumens	To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.
Energy Used	20 Watts	
Life	10,000 Hours	

Compact Fluorescent Lamp Illustration

Lamp Packaging Disclosures

Specifications

- All required disclosures must be clear and conspicuous.
- The words "light output" must appear first in order, followed by the lumens number. The word "lumens" must be close to either "light output" or the lumens number.
- The words "energy used" must appear second in order, followed by the wattage number. The word "watts" must be close to either "energy used" or the wattage number.
- The word "life" must appear third in order, followed by the life in hours number. The word "hours" must be close to either "life" or the life in hours number.
- The numbers for light output, energy used, and life must be of equal size and in the same typestyle.
- The words "light output," "energy used," and "life" must be of equal size and in the same typestyle.
- The words "lumens," "watts," and "hours" must be of equal size and in the same typestyle, but only approximately 50 percent of the size of the words "light output," "energy used," and "life."

Illustration

Note: This illustrates the elements and relative sizes of the required disclosures.

Principal Display Panel

<div>Light Output 1200 Lumens</div>	<div>Energy Used 20 Watts</div>	<div>Life 10,000 Hours</div>
<div>To save energy costs, find the bulbs with the light output you need, then choose the one with the lowest watts.</div>		

Compact Fluorescent Lamp Illustration

ENERGY INFORMATION at High Speed		
Airflow 5,609 Cubic Feet Per Minute	Electricity Use 63 Watts (excludes lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

Ceiling Fan Label Illustration

[59 FR 25212, May 13, 1994; 59 FR 34053, July 1, 1994. Redesignated at 59 FR 49565, Sept. 28, 1994]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting appendix L, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.


EFFECTIVE DATE NOTE: At 75 FR 41717, July 19, 2010, appendix L to part 305 was amended by adding Prototype Labels 5, 6, and 7, removing all graphics labeled Lamp Packaging Disclosures, and adding Sample Labels 10, 11, 12, and 13, effective July 19, 2011. At 75 FR 49819, Aug. 16, 2010, Sample Label 13 was correctly added, effective July 19, 2011. For the

convenience of the user, the added text is set forth as follows:


APPENDIX L TO PART 305 – SAMPLE LABELS

* * * * *

* Typeface is Arial or equivalent type style. Type is black or one color printed on a white or other neutral contrasting background.




* Minimum size for vertical label is 0.8" x 1.5". Scale label and all text proportionally.




* Minimum size for vertical label is 1.6" x 0.75". Scale label and all text proportionally.

PROTOTYPE LABEL 5
FRONT PACKAGE DISCLOSURE FOR GENERAL SERVICE LAMPS



PROTOTYPE LABEL 6
LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMPS
(STANDARD FORMAT)




PROTOTYPE LABEL 7
LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMPS
CONTAINING MERCURY (LINEAR FORMAT)

* * * * *

Lighting Facts Per Bulb	
Brightness	820 lumens
Estimated Yearly Energy Cost \$7.23 Based on 3 hrs/day, 11¢/kWh Cost depends on rates and use	
Life	
Based on 3 hrs/day	1.4 years
Light Appearance	
Warm	Cool
2700 K	
Energy Used	60 watts


SAMPLE LABEL 10
LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP NOT
CONTAINING MERCURY

Lighting Facts Per Bulb		Light Appearance	
		Warm	Cool
Brightness	870 lumens		
Estimated Yearly Energy Cost	\$1.57	2700 K	
Based on 3 hrs/day, 11¢/kWh Cost depends on rates and use		Contains Mercury	
Life Based on 3 hrs/day	5.5 years	For more on clean up and safe disposal, visit epa.gov/cfl .	
Energy Used	13 watts		

SAMPLE LABEL 11
LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP
CONTAINING MERCURY (WIDE ORIENTATION)

Lighting Facts	
Per Bulb	
Brightness	870 lumens
Estimated Yearly Energy Cost	\$1.57
Based on 3 hrs/day, 11¢/kWh. Cost depends on rates and use.	
Life	5.5 years
Based on 3 hrs/day	
Light Appearance	
Warm	
Cool	
2700 K	
Energy Used	13 watts
Contains Mercury	
For more on clean up and safe disposal, visit epa.gov/cfl .	

SAMPLE LABEL 12
LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP
CONTAINING MERCURY (TALL ORIENTATION)

Lighting Facts/Datos de Iluminación Per Bulb/Por Bombilla	
Brightness/Brillo	870 lumens/lúmenes
Estimated Yearly Energy Cost/ Costo Anual Estimado	\$1.57
Based on 3 hrs/day, 11¢/kWh. Cost depends on rates and use./Basado en 3 hrs/día, 11¢/kWh. Costo depende del índice y uso.	
Life/Duración	5.5 years/años
Based on 3 hrs/day/Basado en 3 hrs/día	
Light Appearance/Apariencia de Iluminación	
Warm/Cálido	Cool/Frío
 2700 K	
Energy Used/Uso de Energía	13 watts/vatios
Contains Mercury/Contiene Mercurio	
For more on clean up and safe disposal, visit epa.gov/cfl .	
Para más sobre limpieza y eliminación segura, visite epa.gov/cfl .	

SAMPLE LABEL 13
 LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP
 CONTAINING MERCURY (BILINGUAL EXAMPLE)

Lighting Facts/Datos de Iluminación

Per Bulb/Por Bombilla

Brightness/Brillo 870 lumens/lúmenes

Estimated Yearly Energy Cost/ **\$1.57**
Costo Estimado Anual de Energía

Based on 3 hrs/day, 11¢/kWh. Cost depends
 on rates and use./Basado en 3 hrs/día,
 11¢/kWh. Costo depende de la tarifa y el uso.



Life/Duración 5.5 years/años

Based on 3 hrs/day/Basado en 3 hrs/día

Light Appearance/Apariencia de Iluminación

Warm/Cálida

Cool/Fría



Energy Used/Uso de Energía 13 watts/vatios

Contains Mercury/Contiene Mercurio

For more on clean up and safe
 disposal, visit epa.gov/cfl.

Para más sobre limpieza y desecho
 seguro, visite epa.gov/cfl.

* * * * *

PART 306—AUTOMOTIVE FUEL RAT-
 INGS, CERTIFICATION AND POST-
 ING

GENERAL

Sec.